



Hydraulic Thumb 2,200 – 4,400 lbs (TD1)

## Description

### Hydraulic Thumb 2,200 lbs – 4,400 lbs (TDT1)

The TocDem TDT1 Hydraulic Thumb is designed for compact excavators weighing 2,200 lbs – 4,400 lbs. It provides dependable gripping control for construction, utility installation, landscaping, light demolition and general material handling.

Working with the excavator bucket, the TDT1 allows operators to securely grip, lift, carry and position rocks, concrete, timber, pipes, brush and demolition debris. In addition, its precise geometry provides strong material retention and controlled handling. As a result, operators can work more efficiently when loading, sorting, clearing and positioning materials.

The TDT1 combines heavy-duty, high-strength steel with premium hydraulic components. Therefore, it provides dependable performance and long service life in demanding work environments.

**What We Offer at TocDem**

- 3-Year Warranty
- Technical Support Available
- Dealer Inquiries Welcome
- Professional welding and fitting required

Every TocDem Hydraulic Thumb includes the following components:

- Hydraulic Thumb
- Base Plate
- Hydraulic Cylinder
- Hydraulic Hoses

Professional welding and fitting help ensure correct installation, safe operation and reliable long-term performance.

**TocDem TDT1 Hydraulic Thumb Specifications**

| Specification        | Details               |
|----------------------|-----------------------|
| Model                | TDT1                  |
| Suitable Excavator   | 2,200 lbs – 4,400 lbs |
| Thumb Width          | 6.89? (175 mm)        |
| Thumb Length         | 23.62? (600 mm)       |
| Tine Plate Thickness | 0.63? (16 mm)         |
| Warranty             | 3 Years               |

---

**TDT1 Excavator Hydraulic Thumb Features**

- Designed for excavators from 2,200 lbs to 4,400 lbs.
- Heavy-duty, high-strength steel construction.
- Strong gripping force for improved material handling.
- Precise geometry for secure material retention.
- Low-maintenance design with greasable pivot points.
- Premium-quality hydraulic components.
- Designed for fast, straightforward installation.
- Built for demanding construction and demolition environments.
- Improves excavator versatility and jobsite productivity.
- Provides reliable long-term performance.

**All prices are subject to applicable taxes and delivery.**

## **Why Choose a TocDem Hydraulic Thumb?**

TocDem designs and manufactures excavator attachments for contractors who need dependable equipment and long-term product support. The TDT1 Hydraulic Thumb combines heavy-duty construction, reinforced components and precise engineering. As a result, it provides reliable gripping performance with minimal maintenance.

In addition, the TDT1 increases the versatility of compact excavators across construction, demolition, utility and landscaping projects. It also helps reduce the need for manual material handling.

## **Increase Your Compact Excavator's Material Handling Capability**

Adding a hydraulic thumb gives a compact excavator greater control when handling awkward, loose or irregular materials that can be difficult to manage with a bucket alone.

---

For example, the TDT1 works alongside the excavator bucket to securely grip and position rocks, concrete, timber, pipes, brush and demolition debris. It is ideal for utility trenching, landscaping, site clearing, material sorting, loading and light demolition applications.

At the same time, its compact design helps maintain operator visibility. It also provides the extra gripping control needed to handle materials accurately and efficiently.

### **Built for Demanding Jobsite Applications**

Heavy-duty pivot assemblies, reinforced construction and premium-quality hydraulic components help the TDT1 withstand regular professional use. In addition, greasable pivot points make routine maintenance simple. The robust construction also helps reduce downtime and supports reliable long-term performance.

Therefore, contractors can use the TDT1 across construction, utilities, landscaping and demolition to increase excavator versatility and material handling capability.

### **Hydraulic Thumb Installation**

TocDem engineers every Hydraulic Thumb for efficient installation to help minimize machine downtime and return your excavator to work quickly.

Each hydraulic thumb includes the hydraulic thumb, base plate, hydraulic cylinder and hydraulic hoses. However, professional welding and fitting are required to ensure correct installation and safe operation.

### **3-Year Warranty**

Every TocDem Hydraulic Thumb comes with a 3-Year Warranty. Therefore, contractors have added confidence in its long-term durability and reliable performance.

---

Typical delivery is 2 to 4 weeks, depending on model availability and shipping destination.

**\*\* Due to ongoing development, specifications may change at any time.**

**These tools should only EVER be installed and operated by trained, qualified personnel. A valid risk assessment & method statement should always be in place before use. The excavator powering this item should always be fitted with the appropriate safety equipment and guarding.**

### **More Hydraulic Thumbs For Sale**

- TD5 Hydraulic Thumb 6,600 lbs – 11,000 lbs
- TD8 Hydraulic Thumb 13,200 lbs – 17,600 lbs
- TD 14 Hydraulic Thumb 19,800 lbs – 30,900 lbs
- TD 22 Hydraulic Thumb 33,100 lbs – 48,500 lbs
- TD 35 Hydraulic Thumb 50,700 lbs – 77,200 lbs

### **Other TocDem Excavator Attachments**

- Hydraulic Hammers / Breakers
- Scrap Steel Recycling Shears
- Selector Grabs
- Concrete Pulverizers
- Push Pro Pipe Pushers
- Heavy Duty Excavator Buckets