



Hydraulic Thumb 50,700 – 77,200 lbs (TDT35)

Description

Hydraulic Thumb 50,700 lbs – 77,200 lbs (TDT35)

The TocDem Hydraulic Thumb 50,700 lbs – 77,200 lbs (TDT35) works with large excavators across construction, demolition, quarrying, infrastructure, forestry and recycling applications. It gives operators strong gripping force and clear material control. As a result, operators can handle oversized materials safely while improving jobsite output.

For example, the TDT35 can handle reinforced concrete, structural steel, large rock, utility structures, timber, scrap metal and heavy demolition debris. It works with the excavator bucket to hold materials securely. In addition, its precise geometry supports smooth and reliable movement throughout the thumb's full working range.

The TDT35 combines heavy-duty, high-strength steel with premium hydraulic components. Therefore, it supports reliable performance and long service life in demanding work conditions.

What We Offer at TocDem

- 3-Year Warranty
- Technical Support Available
- Dealer Inquiries Welcome
- Professional welding and fitting required
- Typical delivery: 2 to 4 weeks

Every TocDem Hydraulic Thumb includes the following components:

- Hydraulic Thumb
- Base Plate
- Hydraulic Cylinder
- Hydraulic Hoses

Professional welding and fitting help ensure correct installation and safe operation. In addition, proper fitting supports reliable long-term performance.

TocDem TDT35 Hydraulic Thumb Specification

Specification	Details
Model	TDT35
Suitable Excavator	50,700 lbs – 77,200 lbs
Thumb Width	17.72? (450 mm)
Thumb Length	78.74? (2,000 mm)
Tine Plate Thickness	1.57? (40 mm)
Warranty	3 Years

Additional Highlights of Our TDT35 Hydraulic Thumb Include:

- Fits excavators from 50,700 lbs to 77,200 lbs.
- Heavy-duty, high-strength steel construction.
- Strong gripping force for demanding material handling.
- Precise geometry for secure material retention.
- Reinforced heavy-duty pivot assemblies.
- Premium hydraulic components for reliable long-term performance.
- Low-maintenance design with greasable pivot points.
- Supports straightforward installation.
- Suitable for construction, demolition, quarrying, forestry, recycling and infrastructure projects.
- Handles demanding jobsite conditions.

All prices are subject to applicable taxes and delivery.

Why Choose TocDem Attachments?

TocDem Attachments understands the importance of quality, reliability and long-term product support. Therefore, TocDem builds every Hydraulic Thumb for reliable daily use in demanding work conditions.

Reinforced construction, precise manufacturing and premium hydraulic components support strong gripping performance. In addition, these features help the TDT35 handle heavy material throughout the workday.

The TDT35 serves professional contractors and fleet operators who depend on their equipment every day. As a result, its heavy-duty design helps reduce downtime and maintenance needs while supporting reliable performance.

The TDT35 gives contractors the strength and control needed to handle large and heavy materials on commercial construction, infrastructure and demolition projects. In addition, its larger gripping capacity helps operators move oversized loads during loading, sorting, site clearing and material placement.

For example, operators can use the TDT35 to handle reinforced concrete, structural steel, large utility components, timber, rock and demolition debris. Therefore, they gain the gripping power and control needed to keep demanding projects moving efficiently.

Engineered for Long-Term Performance

Every TocDem Hydraulic Thumb focuses on reliable operation and long-term use. In addition, reinforced construction, precise manufacturing and premium hydraulic components work together to support dependable gripping performance.

The TDT35 serves contractors and fleet operators who rely on their equipment every day. Therefore, its heavy-duty design helps reduce downtime and maintenance needs while supporting reliable service over time.

Designed for Straightforward Installation

TocDem engineers every Hydraulic Thumb for efficient installation. As a result, contractors can reduce machine downtime and return the excavator to work quickly.

Each hydraulic thumb includes the hydraulic thumb, base plate, hydraulic cylinder and hydraulic hoses. However, professional welding and fitting help ensure correct installation, safe operation and reliable long-term performance.

Warranty

Every TocDem Hydraulic Thumb comes with a 3-Year Warranty. Therefore, contractors gain added confidence in its long-term performance.

Delivery

Typical delivery is 2 to 4 weeks, depending on model availability and shipping destination.

**** Due to ongoing development, specifications may change at any time.**

Only trained, qualified personnel should install and operate these tools. Always keep a valid risk assessment & method statement in place before use. In addition, equip the excavator powering this item with the appropriate safety equipment and guarding.

More Hydraulic Thumbs For Sale

- TD1 Hydraulic Thumb 2,200 lbs – 4,400 lbs
- TD5 Hydraulic Thumb 6,600 lbs – 11,000 lbs
- TD8 Hydraulic Thumb 13,200 lbs – 17,600 lbs
- TD14 Hydraulic Thumb 19,800 lbs – 30,900 lbs
- TD22 Hydraulic Thumb 33,100 lbs – 48,500 lbs

Or why not look at our other products

- Hydraulic Hammers / Breakers
- Scrap Steel Recycling Shears
- Selector Grabs
- Concrete Pulverizers
- Push Pro Pipe Pushers
- Heavy Duty Excavator Buckets