



TGR2 – 1,760 lbs to 4,190 lbs Demolition Selector Grab

£ 6,500.00 + VAT

Call Us

01525 714448

WhatsApp

+44 7415 838322

Email

sales@tocdemusa.com

The TocDem TGR2 Hydraulic Selector Grab is designed to deliver precise material handling for excavators weighing 1,760 lbs to 4,190 lbs. Ideal for demolition, recycling, construction and site cleanup applications, it provides excellent control for sorting, loading and handling a wide variety of materials.

Its hydraulic rotating design gives operators greater flexibility when positioning materials, helping improve efficiency while reducing unnecessary machine movement. The TGR2 is built to handle brick, concrete, timber, scrap and other irregular materials with dependable gripping performance.

What We Offer at TocDem

- 3 Year Warranty
- Trade-Ins Welcome
- Finance Available (subject to approval)
- Full Service & Support
- Heavy-Duty Slew Ring
- Heavy-Duty Hydraulic Motor
- Heavy-Duty Chassis

Every TocDem Hydraulic Selector Grab is supplied ready for installation with a custom head bracket, hydraulic hoses and hydraulic couplings. Each head bracket is manufactured to match your excavator specifications for proper fitment and dependable performance.

Key Specifications

- **Model No:** TGR2
- **Suitable Excavator:** 1,760 lbs to 4,190 lbs
- **Attachment Weight:** 308 lbs (140 kg)
- **Jaw Opening:** 31" (770 mm)
- **Height:** 35" (890 mm)
- **Shell Width:** 14" (350 mm)
- **Clamping Force:** 4,400 lbs (2 tonnes)
- **Loading Capacity:** 660 lbs (0.3 tonnes)
- **Oil Flow:** 20 liters per minute
- **Oil Pressure:** 870 psi (60 bar)

Features

- Continuous 360-degree hydraulic rotation for accurate material positioning

- Synchronized hydraulic cylinder system for smooth, even clamping
- Interchangeable cutting blades
- Multiple jaw configurations for demolition, sorting and loading applications
- Excellent control for material handling and recycling operations
- Durable construction for demanding jobsite conditions
- Designed for long service life

Technical, Customer & After-Sales Support

Every TocDem Hydraulic Selector Grab is backed by experienced technical support and dependable customer service. Replacement parts are readily available to help minimize downtime and keep your equipment operating efficiently.

Each attachment is supplied complete with:

- Custom head bracket
- Hydraulic hoses
- Hydraulic couplings

Specifications may change without notice as part of our continuous product development program.

Important Safety Information

Hydraulic Selector Grabs should only be operated by trained personnel using approved operating procedures. Always inspect the attachment and hydraulic connections before use, ensure proper installation, operate within the excavator's recommended lifting capacity and keep personnel clear of the operating area.

More Selector Grabs For Sale

- TGR1 – 1,760 lbs to 4,190 lbs Demolition Selector Grab
- TGR2 – 1,760 lbs to 4,190 lbs Demolition Selector Grab
- TGR4 – 4,410 lbs to 8,820 lbs Demolition Selector Grab
- TGR5 – 8,820 lbs to 15,430 lbs Demolition Selector Grab
- TGR6 – 17,640 lbs to 22,050 lbs Demolition Selector Grab
- TGR12 – 24,250 lbs to 39,680 lbs Demolition Selector Grab
- TGR16 – 39,680 lbs to 55,120 lbs Demolition Selector Grab
- TGR22 – 48,500 lbs to 66,140 lbs Demolition Selector Grab
- TGR26 – 66,140 lbs to 110,230 lbs Demolition Selector Grab
- TGR32 – 77,160 lbs to 132,280 lbs Demolition Selector Grab
- TGR42 – 110,230 lbs to 143,300 lbs Demolition Selector Grab

Or why not look at our other products

- Hydraulic Hammers / Breakers
- Scrap Steel Recycling Shears
- Concrete Pulverizers
- Push Pro Pipe Pushers
- Heavy Duty Excavator Buckets
- Hydraulic Thumbs

Product Information

Make TocDem
Model TGR2
Year 2026
Hours 0
Stock No TGR2